

We claim:

1 1. A method for task manager to interact with a user and provide the user nearby information of a
2 moving object , the method comprising:
3 providing information and one or more geographic location related to the information in a
4 database used by a computer
5 receiving a request from the user which specifies search criteria for identifying information
6 desired by the user, including one or more geographic areas where the geographic
7 location of the desired information is to be located and a schedule for searching desired
8 information within the one or more geographic areas;
9 scheduling a query for the searching the desired information in a subset of the one or more
10 geographic areas, including storing the query in a computer-readable storage;
11 processing the query according to the schedule, including querying the computer to search
12 the database for information satisfying the search criteria; and
13 sending a result of the processing to the user, wherein the result identifies the information
14 satisfying the search criteria.

1 2. The method of claim 1, wherein the sending are performed over a wireless communication
2 network.

1 3. The method of claim 1, further comprising:
2 wherein the scheduling is performed in response to receiving the request from the user; and
3 wherein the query are in response to the request from the user; and
4 wherein the processing and the sending are performed in response to receiving the request from
5 the user.

- 1 4. The method of claim 1, wherein the database is geo-coded information database.
- 1 5. The method of claim 1, wherein scheduling are performed a plurality of times to search desired
2 information on multiple subsets of one or more geographic areas.
- 1 6. The method of claim 5, wherein the scheduling further comprise reducing the subset by removing
2 the overlap with the subset of other query that is scheduled to performed before the query to be
3 scheduled
- 1 7. The method of claim 1, wherein the subset is a projection of a geographic position of the moving
2 object.
- 1 8. The method of claim 7, wherein the projection is a function of one or more factors selected from
2 the following group:
3 a moving condition of the moving object;
4 a predefined travel route of the moving object;
5 a dynamic constraint;
6 a user preference;
7 a search schedule requested by user;
8 a search area criteria requested by user; and
9 a predefined search area system.

- 1 9. The method of claim 8, wherein the moving condition is selected from the following group: a
2 direction of motion, a speed of motion, an intention of direction change, and an intention of
3 speed change.
1
- 1 10. The method of claim 8, wherein the dynamic constraint is selected from the following group: an
2 indication of remaining energy, a rate of energy consumption, and a resistance of movement.
1
- 1 11. The method of claim 10, wherein the resistance of movement is selected from the following
2 group: a road condition, a weather condition, and a weight loading.
1
- 1 12. The method of claim 7, wherein the geographic position is determined by Automatic Positioning
2 System (APS).
- 1 13. The method of claim 12, wherein the Automatic Positioning System is a Global Positioning
2 System (GPS).
- 1 14. The method of claim 12, wherein the Automatic Positioning System is a Network Positioning
2 System, wherein the location is determined via triangulation.
- 1 15. The method of claim 7, wherein the geographic position is an Automatic Location Identification
2 (ALI).
- 1 16. The method of claim 7, wherein the geographic position is position coordinates of a referencing
2 system.

1 17. The system as claimed in claim 1, wherein the scheduling defines a trigger condition of the query
2 in response to the request and the processing is performed when the trigger condition is
3 satisfied.

1 18. The system as claimed in claim 17, wherein the trigger condition is selected form the following
2 group: arriving at a time, elapsing a period of time, approaching to a distance, arriving a
3 geographic location, and entering a geographic area.

1 19. The system as claimed in claim 17, wherein the trigger condition is a function of one or more
2 factors selected from the following group:

- 3 a moving condition of the moving object,
- 4 a predefined travel route of the moving object,
- 5 a dynamic constraint,
- 6 a user preference, and
- 7 a predicted query turn-around time.

1 20. The method of claim 19, wherein the moving condition is selected from the following group: a
2 direction of motion, a speed of motion, an intention of direction change, and an intention of
3 speed change.

1

1 21. The method of claim 19, wherein the dynamic constraint is selected from the following group: an
2 indication of remaining energy, a rate of energy consumption, and a resistance of movement.

1

22. The method of claim 19, wherein the resistance of movement is selected from the following group: a road condition, a weather condition, and a weight loading.

23. The method of claim 19, wherein the query turn-around time is determined by one or more of the following group: a turn-around time of previous query, a predicted data quantity ratio between the to be scheduled query and the previous query, a statistic turn-around time of previous queries, and a query turn-around time calculated from the internet routing trace information.

24. The method of claim 18, wherein the processing is to be performed a period of time before reaching the boundary of the area selected from the following group:
the subset of the one or more geographic areas of the query to be scheduled and
the subset of the one or more geographic areas of the query has been scheduled.

25. The method of claim 24, wherein the period of time is determined by a predicted query turn-around time.

26. The method of claim 18, wherein the processing is to be performed at a distance before reaching the boundary of the area selected from the following group:
the subset of the one or more geographic areas of the query to be scheduled and
the subset of the one or more geographic areas of the query has been scheduled.

27. The method of claim 26, wherein the distance is defined by a speed of the moving object times a predicted query turn-around time.

1 28. The method as claimed in claim 1, wherein sending the information of the result in an order that
2 is determined by the distance between the geographic location of the information to the moving
3 object.

1 29. The method as claimed in claim 1, wherein sending the information of the result in an order that
2 is determined by whether the moving object is approaching or leaving the geographic location of
3 the information of the result.

1 30. The method as claimed in claim 1, wherein the sending sends the result to a second computer
2 and the second computer presents the result audibly or visually to the user.

1 31. The method as claimed in claim 30, wherein the second computer presents the information of the
2 result in an order related to the distance between the position of said moving object and the
3 geographic location of the information of the result.

1 32. The method as claimed in claim 30, wherein the second computer presents the information of the
2 result in an order related to whether said moving object is approaching or leaving the geographic
3 location of the information of the result.

1 33. The method as claimed in claim 1, further comprising rescheduling the query when the moving
2 condition of the moving object changed.

1 34. A method for continuously searching local information comprise steps of
2 receiving one or more inputs from user;
3 parsing said one or more inputs and constructing search task, wherein said search task
4 describing a criteria of search topic and a geographic search area related to a search schedule
5 and a moving object;
6 scheduling one or more search activities according to said search task in a search task
7 database;
8 executing said one or more search activities by querying server computer according to said
9 search schedule;
10 searching a geo-coded topical database for queried said one or more search activities; and
11 transmitting search results of said searching step to client computer over wireless
12 telecommunication channel, and rescheduling or terminating said one of said one or more
13 search activities after being executed, wherein said rescheduling do said scheduling step at
14 different time, place, and environment.

1

1 35. The method of claim 34, wherein said scheduling step further comprising:
2 planning the geographic search area of said search activity; and
3 determining trigger condition of said search activity.

1 36. The method of claim 35, wherein said planning step further comprising one or more of the
2 following sub-steps to decide said geographic search area of said one or more search activities:
3 getting moving condition of said moving object from moving condition subsystem;
4 retrieving predefined travel route that help predict the moving path and estimating the
5 geographic search area of said next query, and
6 getting dynamic constraint from dynamic constraint subsystem to further limit the search area.

1 37. The method of claim 36, wherein said moving condition is selected from the following group: a
2 current position, a direction of motion, a speed of motion, an intention of direction change, and
3 an intention of speed change.

1 38. The method of claim 37, wherein the current position is determined by an Automatic Positioning
2 System (APS).

1 39. The method of claim 38, wherein said automatic positioning system is a Global Positioning
2 System (GPS).

1

1 40. The method of claim 38, wherein said automatic positioning system is a network based
2 positioning system, wherein the location is determined via triangulation.

1

1 41. The method of claim 36, wherein said dynamic constraint is selected from the following group:
2 an indication of remaining energy, a rate of energy consumption, and a resistance of movement.

1

1 42. The method of claim 41, wherein said the resistance is selected from the following group: a road
2 condition, a weather condition, and a weight loading.

1 43. The method of claim 36, further comprising step of choosing said geographic search area from
2 predefined search area system database.

1 44. The method of claim 36, further comprising step of reducing the geographic search area of
2 previous search activity of said search task.

1 45. The method of claim 35, wherein said determining step further comprises one or more of the
2 following sub-steps:

3 getting moving condition of said moving object from moving condition subsystem,

4 getting dynamic constraint from dynamic constraint subsystem for shorten the scheduled
5 time or scheduled distance, and

6 retrieving predicted query turn-around time.

1 46. The method of claim 45, wherein said moving condition is selected from the following group: a
2 current position, a direction of motion, a speed of motion, an indication of speed change, and an
3 indication of direction change.

1

1 47. The method of claim 46, wherein the current position is determined by an automatic positioning
2 system (APS).

1 48. The method of claim 47 wherein said automatic positioning system is a Global Positioning
2 System (GPS).

1 49. The method of claim 47, wherein said automatic positioning system is a network based
2 positioning system, wherein the location is determined via triangulation.

1 50. The method of claim 45, wherein said dynamic constraint is selected from the following group:
2 an indication of remaining energy, a rate of energy consumption, and a resistance of movement.

1 51. The method of claim 50, wherein said resistance is selection from the following group: a road
2 condition, a weather condition, and a weight loading.

1 52. The method of claim 34, wherein the transmit order of said one or more search results are
2 determined by one or more of the following factors:

3 the relative distance between the position of said moving object and each of said one or more
4 search results, and

5 the relative direction between said moving object and each of said one or more search results.

1 53. The method of claim 34, wherein said remote computer presents said one or more search results
2 in voice or in visual.

1 54. The method of claim 34, wherein said remote computer presents said one or more search results
2 in an order depended on one or more of the following factors:

3 the relative distance between the position of said moving object and each of said one or
4 more search results, and

5 the relative direction between said moving object and each of said one or more search results

1 ⁵⁵ 53. A computer system comprising one or more computers connected to a computer network, and
2 computer instructions executed by the computer system for performing the acts in claim 1.

1 ⁵⁶ 54. A computer-readable storage medium encoded with computer instructions for performing the
2 acts in claim 1.

1 55. A continuous local information searching system, comprising:
 2 a server computer having a server transmitter,
 3 an informational database containing topical data and geographic data, said informational
 4 database accessed by said server computer,
 5 a searching task manager configured to receive a search request from user, schedule one or
 6 more search queries according to said search request, and query said server computer
 7 with said one or more search queries, said search request describing a search topic and
 8 one or more geographic areas within which said desired search topic is to be located,
 9 said one or more geographic areas relate to a moving object and said schedule, and
 10 a mobile computer having a mobile receiver configured to receive the result of said query from
 11 said server transmitter.

1 56. The system as claimed in claim 55, wherein said search query is response to said search request,
 2 including a criteria for said search topic and a subset of said one or more geographic areas where
 3 said search topic is to be located.

1 57. The system as claimed in claim 56, wherein said searching task manager further comprises a
 2 searching area planning subsystem to plan for said subset of one or more geographic areas of
 3 said query.

1 58. The system as claimed in claim 57, wherein said searching area planning subsystem determines
 2 said one or more geographic areas based on information provided from one or more supporting
 3 subsystems.

1 ⁶¹~~59~~. The system as claimed in claim 58, wherein said supporting subsystem is a query turn-around
2 time prediction subsystem.

1 ⁶²~~60~~. The system as claimed in claim 58, wherein said supporting subsystem is a planned travel route
2 subsystem that provides one or more planned travel routes and determines the planned travel
3 route where the moving object is on.

1 ⁶³~~61~~. The system as claimed in claim 58, wherein said supporting subsystem is a moving condition
2 subsystem that provides the movement of the moving object.

1 ⁶⁴~~62~~. The system as claimed in claim 61, wherein said movement of the moving object is selected from
2 the following group: a current position, a direction of motion, a speed of motion, and a moving
3 signal.

1 ⁶⁵~~63~~. The system as claimed in claim 62, wherein said moving signal is selected from the following
2 group: a direction change signal, an acceleration signal, and a deceleration signal.

1 ⁶⁶~~64~~. The system as claimed in claim 63, wherein said supporting subsystem is a dynamic constraint
2 subsystem that provides dynamic constraint information.

00935179.002401
TOT280" 62T5660

1. **Introduction**
 2. **Background**
 3. **Methods**
 4. **Results**
 5. **Conclusion**
 6. **References**
 7. **Appendix**
 8. **Table 1**
 9. **Table 2**
 10. **Table 3**
 11. **Table 4**
 12. **Table 5**
 13. **Table 6**
 14. **Table 7**
 15. **Table 8**
 16. **Table 9**
 17. **Table 10**
 18. **Table 11**
 19. **Table 12**
 20. **Table 13**
 21. **Table 14**
 22. **Table 15**
 23. **Table 16**
 24. **Table 17**
 25. **Table 18**
 26. **Table 19**
 27. **Table 20**
 28. **Table 21**
 29. **Table 22**
 30. **Table 23**
 31. **Table 24**
 32. **Table 25**
 33. **Table 26**
 34. **Table 27**
 35. **Table 28**
 36. **Table 29**
 37. **Table 30**
 38. **Table 31**
 39. **Table 32**
 40. **Table 33**
 41. **Table 34**
 42. **Table 35**
 43. **Table 36**
 44. **Table 37**
 45. **Table 38**
 46. **Table 39**
 47. **Table 40**
 48. **Table 41**
 49. **Table 42**
 50. **Table 43**
 51. **Table 44**
 52. **Table 45**
 53. **Table 46**
 54. **Table 47**
 55. **Table 48**
 56. **Table 49**
 57. **Table 50**
 58. **Table 51**
 59. **Table 52**
 60. **Table 53**
 61. **Table 54**
 62. **Table 55**
 63. **Table 56**
 64. **Table 57**
 65. **Table 58**
 66. **Table 59**
 67. **Table 60**
 68. **Table 61**
 69. **Table 62**
 70. **Table 63**
 71. **Table 64**
 72. **Table 65**
 73. **Table 66**
 74. **Table 67**
 75. **Table 68**
 76. **Table 69**
 77. **Table 70**
 78. **Table 71**
 79. **Table 72**
 80. **Table 73**
 81. **Table 74**
 82. **Table 75**
 83. **Table 76**
 84. **Table 77**
 85. **Table 78**
 86. **Table 79**
 87. **Table 80**
 88. **Table 81**
 89. **Table 82**
 90. **Table 83**
 91. **Table 84**
 92. **Table 85**
 93. **Table 86**
 94. **Table 87**
 95. **Table 88**
 96. **Table 89**
 97. **Table 90**
 98. **Table 91**
 99. **Table 92**
 100. **Table 93**
 101. **Table 94**
 102. **Table 95**
 103. **Table 96**
 104. **Table 97**
 105. **Table 98**
 106. **Table 99**
 107. **Table 100**
 108. **Table 101**
 109. **Table 102**
 110. **Table 103**
 111. **Table 104**
 112. **Table 105**
 113. **Table 106**
 114. **Table 107**
 115. **Table 108**
 116. **Table 109**
 117. **Table 110**
 118. **Table 111**
 119. **Table 112**
 120. **Table 113**
 121. **Table 114**
 122. **Table 115**
 123. **Table 116**
 124. **Table 117**
 125. **Table 118**
 126. **Table 119**
 127. **Table 120**
 128. **Table 121**
 129. **Table 122**
 130. **Table 123**
 131. **Table 124**
 132. **Table 125**
 133. **Table 126**
 134. **Table 127**
 135. **Table 128**
 136. **Table 129**
 137. **Table 130**
 138. **Table 131**
 139. **Table 132**
 140. **Table 133**
 141. **Table 134**
 142. **Table 135**
 143. **Table 136**
 144. **Table 137**
 145. **Table 138**
 146. **Table 139**
 147. **Table 140**
 148. **Table 141**
 149. **Table 142**
 150. **Table 143**
 151. **Table 144**
 152. **Table 145**
 153. **Table 146**
 154. **Table 147**
 155. **Table 148**
 156. **Table 149**
 157. **Table 150**
 158. **Table 151**
 159. **Table 152**
 160. **Table 153**
 161. **Table 154**
 162. **Table 155**
 163. **Table 156**
 164. **Table 157**
 165. **Table 158**
 166. **Table 159**
 167. **Table 160**
 168. **Table 161**
 169. **Table 162**
 170. **Table 163**
 171. **Table 164**
 172. **Table 165**
 173. **Table 166**
 174. **Table 167**
 175. **Table 168**
 176. **Table 169**
 177. **Table 170**
 178. **Table 171**
 179. **Table 172**
 180. **Table 173**
 181. **Table 174**
 182. **Table 175**
 183. **Table 176**
 184. **Table 177**
 185. **Table 178**
 186. **Table 179**
 187. **Table 180**
 188. **Table 181**
 189. **Table 182**
 190. **Table 183**
 191. **Table 184**
 192. **Table 185**
 193. **Table 186**
 194. **Table 187**
 195. **Table 188**
 196. **Table 189**
 197. **Table 190**
 198. **Table 191**
 199. **Table 192**
 200. **Table 193**
 201. **Table 194**
 202. **Table 195**
 203. **Table 196**
 204. **Table 197**
 205. **Table 198**
 206. **Table 199**
 207. **Table 200**
 208. **Table 201**
 209. **Table 202**
 210. **Table 203**
 211. **Table 204**
 212. **Table 205**
 213. **Table 206**
 214. **Table 207**
 215. **Table 208**
 216. **Table 209**
 217. **Table 210**

68

69

70

72

1 ~~70.~~ The system as claimed in claim 56, further comprising a query synthesis subsystem for
2 synthesizing one or more instructions of said one or more queries.

37

1 75. The system as claimed in claim 55, wherein the transmit order of said one or more search results
2 is determined by the distance between the position of said moving object to one of said one or
3 more search result.

38

1 76. The system as claimed in claim 55, wherein the transmit order of said one or more search results
2 is determined by whether said moving object is approaching or leaving one of said one or more
3 search results.

39

1 77. The system as claimed in claim 55, wherein said remote computer presents said one or more
2 search results audibly or visually.

40

1 78. The system as claimed in claim 77, wherein said remote computer presents said one or more
2 search results in an order related to the distance between the position of said moving object and
3 one of said one or more search result.

41

1 79. The system as claimed in claim 77, wherein said remote computer presents said one or more
2 search results in an order related to whether said moving object is approaching or leaving one of
3 said one or more search results.